

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** AQUALINK HT804-F

**Product code:** 42803

**Use / description of product:** Supplied as a water glycol hydraulic fluid for use in subsea production control systems. The product should be used as supplied. The colour of this material will fade if exposed to daylight for a long period.

**Company name:** Houghton Plc  
Beacon Road  
Trafford Park  
Manchester  
M17 1AF  
Tel: 0161 874 5000  
Fax: 0161 877 9764

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** ETHYLENE GLYCOL 25-50%  
EINECS: 203-473-3 CAS: 107-21-1  
[Xn] R22

- POLYOXYETHYLENE GLYCERYL ETHER 1-10%  
CAS: 31694-55-0  
[Xi] R36

## 3. HAZARDS IDENTIFICATION

**Main hazards:** Harmful if swallowed.

## 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** Absorption through the lungs can occur causing symptoms similar to those of ingestion.

## 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 7. HANDLING AND STORAGE

**Handling requirements:** Provide suitable mechanical equipment for the safe handling of drums. Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

**Storage conditions:** Store product undercover away from direct sources of heat. Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Hazardous ingredients:** ETHYLENE GLYCOL  
TWA (8 hr exposure limit): 60 mg/m<sup>3</sup> STEL (15 min exposure limit): 125 mg/m<sup>3</sup> (OES)

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Colour:** Fluorescent pink

**Odour:** Mild

**Evaporation rate:** Slow

**Solubility in water:** Soluble

**Viscosity value:** <3cSt@40C

**Boiling point/range°C:** >100

**Melting point/range°C:** -40

**Vapour pressure:** <Water

**Relative density:** 1.059@15.5C

**pH:** 9.5-conc

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

**Hazardous ingredients:** ETHYLENE GLYCOL  
IVN RAT LD50 3260 mg/kg  
ORL MUS LD50 5500 mg/kg  
ORL RAT LD50 4700 mg/kg

**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Unused material: The product can be burnt under controlled conditions or removed by approved waste contractors.

Used material: The product can be burnt under controlled conditions, recycled by competent companies or removed by approved waste contractors.

**Disposal of packaging:** IBC's have a refundable deposit paid on them and should be returned. 205 litre unlined steel drums also carry a deposit but can be returned for recycling. All other packaging should be disposed of in a manner acceptable to the authorities.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** -

**Shipping name:** "NOT SUBJECT TO ADR"

**IMDG / IMO**

**UN no:** -

**IATA / ICAO**

**UN no:** -

**15. REGULATORY INFORMATION**

**Hazard symbols:** Harmful.

## SAFETY DATA SHEET

AQUALINK HT804-F



**Risk phrases:** R22: Harmful if swallowed.

**Safety phrases:** S2: Keep out of the reach of children.

S20: When using do not eat or drink.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. OTHER INFORMATION

**Other information:** The classification detailed on this Safety Data Sheet refer to the neat material only. Dilution of the product may reduce the classification. This safety data sheet conforms to 2001/58/EEC. Statutory Instruments: The Health and Safety at Work etc. Act 1974. Control of Substances Hazardous to Health Regulations 2002. Environment Protection Act 1990. Chemicals (Hazard Information and Packaging) Regulations 2002.

**Risk phrases used in s.2:** R22: Harmful if swallowed.

R36: Irritating to eyes.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.