

SAFETY DATA SHEET

HOUGHTO-CLEAN 645

Page 1 Issued: 19/10/2010

Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name: HOUGHTO-CLEAN 645

Product code: 62212

Use of substance / preparation: Supplied as a beverage can cleaner.

Company name: HOUGHTON plc

Beacon Road Trafford park Manchester M17 1AF

United Kingdom

Tel: +44 (0)161 874 5000 Fax: +44 (0)161 874 5001

Emergency tel: +44 (0)161 874 2077

Email: Datasheets@uk.houghtonglobal.com

2. HAZARDS IDENTIFICATION

Main hazards: Causes severe burns.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: SULPHURIC ACID 20-50%

EINECS: 231-639-5 CAS: 7664-93-9

[C] R35

Contains: See Section 16 for full explanation of R phrases.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not

immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There

may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat.

Exposure may cause coughing or wheezing.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to

skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms

of poisoning.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for

specialist examination.

Issued: 19/10/2010

SAFETY DATA SHEET

HOUGHTO-CLEAN 645

Ingestion: Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to

drink every 10 minutes. If unconscious, check for breathing and apply

artificial respiration if necessary. If unconscious and breathing is OK, place in

the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to

hospital as soon as possible.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use

water spray to cool containers.

Exposure hazards: Corrosive. In combustion emits toxic fumes.

Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to

prevent contact with skin and eyes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Notify the police and fire brigade immediately. If outside keep bystanders

upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn

leaking containers leak-side up to prevent the escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the

specific substance. Absorb into dry earth or sand. Transfer to a closable,

labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation

of the area. Do not handle in a confined space. Avoid the formation or

spread of mists in the air.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of

emergency.

Hand protection: Impermeable gloves. Breakthrough times are dependant on type and

[cont...]

Page 2

Issued: 19/10/2010

SAFETY DATA SHEET

HOUGHTO-CLEAN 645

manufacturer. Change gloves frequently as needed. Check applicability with

glove supplier.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State: Liquid

Colour: Yellow to pale brown

Odourless

Evaporation rate: Negligible **Solubility in water:** Soluble

Relative density: 1.25 - 1.35 @ 15.5°C

pH: 1-2 @ 1% in water

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions.

Conditions to avoid: High storage temperatures.

Materials to avoid: Strong oxidising agents. Strong bases.

Haz. decomp. products: In combustion emits toxic fumes.

11. TOXICOLOGICAL INFORMATION

Hazardous ingredients: SULPHURIC ACID

ORL RAT LD50 2140 mg/kg

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding

symptoms.

12. ECOLOGICAL INFORMATION

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Not classified as dangerous to the environment under EU regulations.

13. DISPOSAL CONSIDERATIONS

Disposal operations: Transfer to a suitable container and arrange for collection by specialised

disposal company. Classified as hazardous waste under UK and European

law.

Disposal of packaging: IBC's have a refundable deposit paid on them and should be returned. 205

litre unlined steel drums also carry a deposit but can be returned for recycling. All other packaging should be disposed of in a manner

acceptable to the authorities.

Page 3

Issued: 19/10/2010

SAFETY DATA SHEET

HOUGHTO-CLEAN 645

Page 4

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID

UN no: 2796 ADR Class: 8

Packing group: II Classification code: C1

Shipping name: SULPHURIC ACID

Labelling: 8 Hazard ID no: 80



IMDG / IMO

UN no: 2796 Class: 8

Packing group: II EmS: F-A,S-B

Marine pollutant: NO

Labelling: 8

IATA / ICAO

UN no: 2796 Class: 8

Packing group: II

Packing instructions: 809(P&CA); 813(CAO)

Labelling: 8

15. REGULATORY INFORMATION

Hazard symbols: Corrosive.



Risk phrases: R35: Causes severe burns.

Safety phrases: S26: In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face $\,$

protection.

S45: In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

Haz. ingredients (label): SULPHURIC ACID...40%

SAFETY DATA SHEET

HOUGHTO-CLEAN 645

Page 5

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Other information: The classification detailed on this Safety Data Sheet refer to the neat

material only. Dilution of the product may reduce the classification.

Acts of Parliament: The Health and Safety at Work etc. Act 1974.

Environment Protection Act 1990. Statutory Instruments: Control of

Substances Hazardous to Health Regulations 2002. Chemicals (Hazard

Information and Packaging) Regulations 2009.

MSDS complies with European Chemicals Regulation (REACH)

1907/2006/EC and Workplace exposure limits (EH40).

The Carriage of Dangerous Goods Regulations 2009.

The Hazardous Waste (England and Wales) Regulations 2005.

Risk phrases used in s.3: R35: Causes severe burns.

Legal disclaimer: The above information is believed to be correct but does not purport to be

all inclusive and shall be used only as a guide. This company shall not be

held liable for any damage resulting from handling or from contact with the

above product.